



AS-F (M)

迷你單缸長龍式洗碗碟機
Mini Tank
Flight Type Dishwasher

AS-F(M)

迷你單缸長龍式洗碗碟機
Mini Tank Flight Type Dishwasher

卓滙洗碗碟機特色

CHAMPION Dishwasher with Excellent Characteristics



環保節能

ENVIRONMENTAL
ENERGY SAVING

環保節能設計，節省用水量和耗電量，達致最高經濟效益。

The green-design is focus on reducing consumption of water and energy, in order to achieve economic efficiency.



穩定耐用

STABLE AND DURABLE

全機採用SUS 304 1.5mm不鏽鋼結構及機械式控制設計，於高溫及潮濕的環境中亦應能發揮超高耐用性及穩定性。

The construction adopt SUS 304 1.5mm stainless steel and mechanical control. Durability and stability can be maintained even in high temperature and moisture environment.



高效運作

HIGH EFFICIENCY

高速設計及強勁水力輸出，提升洗滌效率，減省人手。

High speed design and strong washing power, enhance the washing efficiency and manpower saving.



國際認可

INTERNATIONAL
RECOGNITION

CHAMPION洗碗碟機全系列獲國際認可，符合國際食品安全及衛生標準；認可設備於材料、易潔度、溫度、時間、水壓、運作設計等、各方面均達到國際標準。

CHAMPION Dishwasher complied with the international standard of food safety and hygiene, approved by HACCP which achieved the standard of material used, washable, temperature, time, water pressure and operation, hygiene and safety image enhanced.



國際廠房

INTERNATIONAL
MANUFACTORY

首家港資公司創立國際性廠房，全線洗碗碟機在嚴密的工序及監控下生產；從技術研發，原材料選材，流程設計，質量管理及控制都一絲不苟。

The first international dishwashers' manufactory financed and managed by Hong Kong Company. The full series of dishwashers are manufactured under rigorous procedures and inspection, from research and development, materials selection, procedure design, to quality control.



簡單易用

SIMPLE TO USE

採用簡易操作系統，一按式啟動及自動化操作，任何家用操作自如。

Adopt user friendly operation system. "One-Button" activation and automatic operation are easy for any users to control.

信心保證 Quality Assurance

- 食品安全認證 HACCP International Food Safety Certificate 
- CSA認證  Certificate
- 歐盟認證  Certificate
- 質量管理認證 Quality Management System  ISO 9001:2018 Certificate
- 香港政府食物環境衛生署認可牌照 HKSAR Food and Environmental Hygiene Dept. Approved Certificate



卓越設計功能 AS-F(M) Excellent Design




▲ 設有垃圾過濾籃，易於拆卸及清洗，有效阻隔垃圾及食物渣滓，避免阻塞噴孔。

Strainer pans and baskets are easy for removal and cleaning. Strainer pans and baskets can separate the food soils and trash in order to avoid any block in nozzle.

▼ 獨有紅外線感應自動節能系統，同時控制過水、水泵和烘乾程序，減低不必要耗水量及電量。

Energy saving infrared sensor controls and activates rinsing, pump and dryer, reduce water and energy consumption.



▲ 360度環繞高溫最後過水，保證餐具達致全方位衛生清潔效果。

Surround 360° rinse arms for final rinse with comprehensive sanitizing result.



▲ 3匹馬力特強主洗泵，穩定水壓力度，使沖洗效能更清潔更有效率。

3 HP powerful wash pump, which is able to stabilize the water pressure, increase the washing performance.

▼ 採用內凹式噴孔設計，防堵塞，加強清洗能力和擴闊噴洗範圍。

Debossed anti-clog nozzles provide powerful washing performance.



▲ 機頂式簡便控制箱，設於人體視線平行，便於操作和檢查，縮短停機時間。

Convenient control module with eye-level access lets operators verify proper operations and temperatures, reduce the machine downtime.

可根據客戶之特殊需求，特別訂造加高或加闊型

Model with extra height and width is able to special tailor made according to particular needs

🔧 技術規格 Technical Data

開門高度 Door Opening Height	2110 mm
最寬洗滌寬度 Loading Width	536 mm
最高洗滌高度 Loading Height	415 mm
傳送速度 Conveyor Speed	1.6m / min - 3.0m / min
水缸容量 Tank Capacity	71 L / Tank (缸)
耗水量 Rinse Usage	360 L / hr (小時)
建議水壓 Suggest Water Pressure	15-25 psi
主洗水泵功率 Wash Pump Power	1.5 kW (3 HP)
供電要求 Power Supply	380 V / 50 Hz / 3 / N / PE

AS-F(M)

迷你單缸長龍式洗碗碟機
Mini Tank Flight Type Dishwasher


AS-F(M)系列技術表 AS-F(M) Series Data Sheet

組件 Component	部件名稱 Component parts	長度 Length (mm)	功率 (電) Power (Electricity)
進口段 Entry			
1	進口 (迷你版) Entry (Mini)	650	----
2	進口 (標準版) Entry (Standard)	950	----
清洗段 Wash			
AR	主洗缸 Wash Tank	1100	洗水泵 Wash Pump Motor 1.5 kW (3HP) 洗水缸發熱線 Wash Tank Heater 9 kW / 15 kW / 20 kW / 25 kW 過水加熱器 Rinse Booster 45 kW
BR	雙主洗缸 Double Wash Tanks	1600	洗水泵 Wash Pump Motor 1.5 kW (3HP) 洗水缸發熱線 Wash Tank Heater 18 kW / 30 kW / 40 kW / 50 kW 過水加熱器 Rinse Booster 45 kW (15kW + 30kW)
過水段 Rinse			
R	雙過水缸 Double Rinse	600	過水加熱器 Rinse Booster 13.5 kW 過水馬達 Rinse Motor 0.25 kW
烘乾段 Dryer			
D	烘乾段 Dryer	480	烘乾段馬達 Dryer Motor 0.75 (1HP) 烘乾段發熱線 Dryer Heater 13.5 kW
DX	烘乾段 (加強版) Dryer (Upgraded)	800	烘乾段馬達 Dryer Motor 1.5 kW (2HP) 烘乾段發熱線 Dryer Heater 18 kW
出口段 Exit			
1	出口 (迷你版) Exit (Mini)	1000	運輸帶馬達 Conveyor Motor 0.5 kW
2	出口 (標準版) Exit (Standard)	1300	

我們致力研發及改進產品，參數如有變更，恕不另行通知。

We commit to innovate and enhance the product quality, CHAMPION reserve the right to technical or design modification without notice.


透視圖 Perspective



原廠一站式服務 Manufacturer One-Stop Services

我創造 · 我重視
We Make · We Care

從設計流程開始，直至售後支援服務，卓滙都細心關顧客戶所需。
We care about our customers and take care of anything starting from design, after-sale and maintenance services.



售後服務才是我們的開始 Post-sales Service is where our Business start.



專業顧問團隊
Professional Consulting Team



衛生諮詢培訓
Hygiene Consultation & Training



安心檢查維護
Secure Maintenance Service



流動工程車隊
Engineering Motorcade



充裕零件供應
Sufficient Spare Parts Supply

卓滙集團
Champion Group

香港
Hong Kong

☎ (852) 2475 9875
✉ enquiry_hk@champion-chem.com

中國
China

☎ (86) 0755 2821 8882
✉ enquiry_ch@champion-chem.com

澳門
Macau

☎ (853) 2823 0511
✉ enquiry_mc@champion-chem.com

台灣
Taiwan

☎ (886) 2 2643 6111
✉ enquiry_tw@champion-chem.com